



BirdLife International Ichida



Izumi, Wintering site of Cranes in Japan







Launch of Crane Flyway Network 2001 China





Many activities at sites




Authorization of network site




Establishment of protection areas in North Korea



Satellite tracking of Black-faced Spoonbill Wild Bird Society of Japan



International census of wintering Black-faced Spoonbills



Is the situation improved?

Decline of common birds of wetlands \rightarrow recent trend




Little Egret


Oriental Reed Warbler



Oriental Reed Warbler at Yatsu Nature Reserve, Japan



Population trend of Little Egret at Asakawa River, Tokyo Hachioji-Hino Kawasemi Kai



Conservation and Rehabilitation of Habitats for Key Migratory Birds in North-East Asia

- Scoping survey and joint study
- Capacity building on habitat management
- Strategy for habitat conservation and rehabilitation
- Awareness raising on habitat conservation

 \rightarrow Let's show a good model

Sanctuary Campaign in Japan

- 1981 Establish the first bird sanctuary at Lake Utonai, Hokkaido
- 2013 To promote eco-tourism in Ogimi, working together with landscape specialists and developers
 - \rightarrow Arc Coporation, Hokkaido

Knowledge and action create •••

Arc Corporation Inc., Hokkaido



For the future of people, migratory birds and biodiversity in North-East Asia



Birdlife **INTERNATIONAL**