**NEASPEC CONSULTATION MEETING** 

# **Modeling results from LTP project**

LimSeok Chang, JongChoonKim

2011. 1. 20

National Institute of Environmental Research, Korea

# Contents

# I Tripartite LTP project

I Modeling design

**III** Research results

Future plan

IV






#### Similarities and uniqueness of LTP Framework


#### to other activities

- Similarity
- Air Quality Monitoring for Asia (to EANET)
- Air Quality S-R Modeling for Asia (to MICS-Asia)
- Target pollutants Sulfur, Nitrogen, and others (EANET and MICS-Asia)
- RAINS-Asia, GAINS-Asia, ABC, Global-Chem Modeling, and others...
  - Uniqueness
  - Government-initiated scientific research collaboration framework in support of regional air quality issues
  - Both modeling and monitoring
  - Both pure science and policy supporting science
  - Strictly focus on Northeast Asia(Three countries)
  - Long lasting geo-scientific collaboration in Northeast Asia


## **Concept of LTP**



# **History of LTP Project**




# **LTP Organization**




LTP has made many achievements in the fields of monitoring, modeling and emission inventory up until now. However, it still needs some systematic enhancement, for example, by restructuring the organization into Working Group and Task Force Team.

# **Outline of LTP Project**








# LTP Modeling framework


	China	Japan	Korea
Model system	Models-3 / CMAQ	RAQM (Regional Air quality Model)	CADM
	$\sigma$ coordinate	terrain following coordinate	(Comprehensive Acid Deposition Model)
	14 layers, $70 \times 66$ grids,	12 layers, $110 \times 80$ grids,	terrain following coordinates
	60km resolution	60km resolution	12 layers, $110 \times 80$ grids,
	(Byun and Ching, 1999)	(An et al., 2002)	60km resolution
			(Lee et al., 1998)
Domain	$20 \sim 50$ N, $100 \sim 150$ E	20~50N, 100~150E	$20 \sim 50$ N, $100 \sim 150$ E
Meteorological	MM5	MM5	CSU-RAMS
Model	34 layers with	125×95 (45km), 23 layers,	$110 \times 80$ , 29 vertical layer
	FDDA using NCEP reanalysis	FDDA using NCEP FNL reanalysis	FDDA using NCEP FNL reanalysis
Chemical Mechanism	RADM Chemistry	CBM-IV mechanism	RADM Chemistry
Cloud Model	Diagnostic cloud model in RADM	Cloud model in MM5	Cloud model in CSU-RAMS
Physical option	Simple explicit moisture scheme Grell cumulus schemes, MRF	Betts-Miller cumulus scheme, MRF RRTM	Anthes-Kuo cumulus scheme, MRF
Emission	$SO_2$ , NOx, VOC, NH <sub>3</sub> , CO, PM <sub>10</sub> , biogenic VOC provided by LTP for the base year of 1998 (1°×1° resolution)	Same as China	Same as China
Dry deposition	Wesely's parameterization (Wesely, 1989)	Modified Wesely's parameterization (Walmsley & Wesely, 1996)	Dry deposition module in RADM (Lee et al, 1998)
Wet deposition	RADM Module	RADM Module	RADM Module
	(Chang et al, 1987)	(Chang et al, 1987)	(Chang et al, 1987)
Land use type	EPA/NOAA	DeFries & Townshend (1994)	EPA/NOAA
	global ecosystem (11 categories)	× ,	global ecosystem (11 categories)

#### **Regions for estimating S-R Relationship**



China requests excluding ocean sector in Region V.

# LTP standard emission for SO2 and NOx




•(unit: ton year<sup>1</sup> grid<sup>-1</sup>).

E(SO2) : 20,672,125 ton/yr > 1,146,000 ton/yr > 922,056 ton/yr Emission rate in China is greater than those in Korea and Japan by 22 times





#### Model domain and locations of measurement




LTP project includes two monitoring sites in each participating country

Korean research group conducts aircraft measurement over Western sea


# **Summary of model performance**

	Obs	China	Japan	Korea
Sample size	57	57	57	57
Range(ppb)	0.0042-35.43	0.0-11.387	0.05-16.07	0.025-24.22
Mean(ppb)	4.59	2.35	2.91	5.01
Standard deviation (ppb)	7.13	2.66	3.26	5.81
Mean of ratio model/obs (S/O)		0.91	1.99	4.25
Standard deviation of ratio model/obs (S/O)		1.37	6.81	19
Absolute gross error		3.11	3.61	3.44
Correlation coefficient		0.54	0.19	0.53
Mean difference		2.24	1.68	-0.42
Difference standard deviation		6.13	7.24	6.42
Root-mean square error		6.48	7.37	6.38
Mean square error. MSEN		5.06	10.21	24.56
Mean square error. MSES		37.54	45.05	16.86
Index of agreement		0.53	0.37	0.69
Mean fractional error		0.59	0.22	-0.12


#### Model performance comparison



# Model performance comparison




# Spatial distribution of the simulated [SO2]




Simulated surface SO<sub>2</sub> concentrations from (a) China, (b) Japan, and (c) Korea on 5-13, March.

# Spatial distribution of the simulated [SO2]




Seasonally averaged surface  $SO_2$ and  $SO_4^{2-}$  concentrations simulated by (a) China, (b) Japan, and (c) Korea for the year of 2002.

#### **Conversion ratio of SO2 to sulfate**




Time variations of longitudinal cross-section of simulated conversion ratio of sulfur (Fs =  $SO_4^{2-}$ /(  $SO_2 + SO_4^{2-}$ ) from (a) China, (b) Japan, and (c) Korea on 5-13, March.

#### Model validation by observations




Comparison between monthly variation of simulated versus observed SO<sub>2</sub> concentrations at 6 LTP sites in 2002

# Model validation by observations




Comparison between monthly variation of simulated versus observed SO<sub>2</sub> concentrations at 6 LTP sites in 2002

#### Model validation by observations




Comparison between observed simulated sulfur deposition at EANET sites in 2002

# **Sulfur deposition distribution**




Simulated sulfur deposition patterns from (a) China, (b) Japan, and (c) Korea on 5-13, March.

# Monthly variation of sulfur deposition



Monthly variations of total, wet, and dry depositions of sulfur simulated from China, Japan, and Korea for the entire year of 2002.


#### Result of estimating S-R Relationship for Sulfur among three countries



30% of the domestic sulfur depositions are originated from China and Japan

As a result of joint research among three countries for the year 2002, 20~40% of sulfur depositions in Korea originated from China, and the concentration was the highest in the winter season.

### Impacts of LTP on Forest Ecosystem



>Alkalinity of soil in Korea slows down its acidification





# **New Objectives**

- Two major and one supplemental objectives

 Understand air quality issues in East Asia in consideration of new challenges, such as secondary pollutants, HAPs, climate change, and etc. Decide what we want to pursue and what we won't (State-of-art science)

 Use our understanding to prioritize our actions to mitigate adverse AQ effects for another decade. Health/environmental impact and mitigation policy study need to be initiated (Policy supporting science)

• How can we improve our collaborative research framework to accomplish these objectives effectively?



# Thank you for your attention.